

ALUMINUM

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
Spring Suspension								
AL80B 13-15 1600	1600	2	Spring	530x12C	66"	80"	18' 1"	377#
AL90B 14-16	2200	2	Spring	ST175/80R13C	75"	90"	18' 4"	470#
ALB 16-18	2100	2	Spring	ST175/80R13C	77"	96"	20' 2"	499#
ALB 16-18	2450	2	Spring	ST185/80R13C	77"	96"	20' 2"	500#
ALB 16-18	2800	2	Spring	ST205/75R14C	77.5"	96"	20' 2"	563#
ALB 18-20	2800	2	Spring	ST205/75R14C	77.5"	96"	21' 2"	576#
ALB 18-20	3100	2	Spring	ST215/75R14C	77.5"	96"	21' 2"	588#
AL102B 18-20	3100	2	Spring	ST205/75R14C	83"	102"	21' 2"	600#
TALB 18-21	4000	2	Spring	ST175/80R13C	80.5"	96"	22' 9"	774#
TALB 18-21	4000	2	Spring	ST205/75R14C	77.5"	96"	22' 9"	834#
TAL102B 18-21	4000	2	Spring	ST175/80R13C	86"	102"	22' 9"	774#
TAL102B 18-21	4000	2	Spring	ST205/75R14C	84"	102"	22' 9"	843#
TALB 20-23	5200	2	Spring	ST205/75R14C	77.5"	96"	23' 6"	956#
TAL102B 20-23	5200	2	Spring	ST205/75R14C	83"	102"	23'	993#
TALB 21-25	6200	4	Spring	ST215/75R14C	77.5"	96"	26' 6"	1200#
TALB 23-27	6200	4	Spring	ST215/75R14C	77.5"	96"	30' 6"	1200#
TALB 23-27	7900	4	Spring	ST225/75R15D	77.5"	96"	30' 9"	1403#
TALB 23-27	8500	4	Spring	ST235/80R16E	77.5"	96"	30' 2"	1500#
Torsion Suspension								
AB 16-18	2100	2	Torsion	ST175/80R13C	77.5"	96"	20' 2"	558#
AB 16-18	2800	2	Torsion	ST205/75R14C	77.5"	96"	20' 2"	593#
AB 18-20	2800	2	Torsion	ST205/75R14C	77.5"	96"	21' 2"	607#
AB 18-20	3100	2	Torsion	ST215/75R14C	77.5"	96"	21' 2"	619#
A102B 18-20	3100	2	Torsion	ST205/75R14C	83"	102"	21' 2"	600#
TAB 18-21	4000	2	Torsion	ST175/80R13C	80.5"	96"	22' 9"	820#
TAB 18-21	4000	2	Torsion	ST205/75R14C	77.5"	96"	22' 9"	867#
TA102B 18-21	4000	2	Torsion	ST175/80R13C	86"	102"	22' 9"	828#
TA102B 18-21	4000	2	Torsion	ST205/75R14C	84"	102"	22' 9"	876#
TAB 20-23	5200	2	Torsion	ST205/75R14C	77.5"	96"	23' 6"	1008#
TA102B 20-23	5200	2	Torsion	ST205/75R14C	84"	102"	23'	1017#
TAB 21-25	6200	4	Torsion	ST215/75R14C	77.5"	96"	27'	1200#
TAB 23-27	6200	4	Torsion	ST215/75R14C	77.5"	96"	30' 6"	1200#
TAB 23-27	7900	4	Torsion	ST225/75R15D	77.5"	96"	30' 9"	1438#
TAB 26-30	7900	4	Torsion	ST225/75R15D	77.5"	96"	33' 9"	1472#
TAB 23-27	8500	4	Torsion	ST235/80R16E	77.5"	96"	30' 2"	1500#
TIAB 26-30	9000	4	Torsion	ST215/75R14C	77.5"	96"	33' 2"	1800#
TIAB 27-31	12000	8	Torsion	ST225/75R15D	77.5"	96"	34' 2"	2234#
TIAB 30-34	12000	8	Torsion	ST225/75R15D	77.5"	96"	37' 2"	2270#
TIAB 32-36	12000	2	Torsion	ST225/75R15D	77.5"	96"	40' 2"	2220#

For More Information on Sales, Parts, Warranty or Service, please call Customer Service at

800-398-5623

PONTOONS

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
Pontoons: 1850-6800 lb. Capacity								
EZP 14-16'	1850#		Spring	ST 175/80R 13C	82"	96"	19'	795#
EZP 16-18'	2150#		Spring	20.5x8x10E	82"	96"	21'	836#
EZP 16-18'	2100#		Spring	ST 185/80R 13C	82"	96"	21'	836#
EZP 18-20'	2100#		Spring	20.5x8x10E	82"	96"	23'	870#
EZP 18-20'	2075#		Spring	ST 185/80R 13C	82"	96"	23'	870#
EZP 18-20'	2700#		Spring	ST 195/75D 14D	82"	96"	23'	884#
EZP 20-22	2700#		Spring	ST 195/75D 14D	82"	96"	26'	952#
TEZP 20-22	3300#		Spring	20.5x8x10C	82"	96"	25'	1083#
TEZP 20-22	3300#		Spring	ST 175/80R 13C	82"	96"	25'	1126#
TEZP 22-24'	3850#		Spring	20.5x8x10D	82"	96"	27'	1109#
TEZP 22-24'	3750#		Spring	ST 175/80R 13C	82"	96"	28'	1154#
TEZP 22-24'	4325#		Spring	ST 175/80R 13C	82"	96"	27'	1157#
TEZP 24-26/28 ^{***}	4750#		Spring	20.5x8x10E	82"	96"	29' /+2'	1194#
TEZP 24-26/28 ^{***}	4700#		Spring	ST 185/80R 13C	82"	96"	29' /+2'	1196#
TEZP 24-26/28 ^{***}	5600#		Spring	ST 215/75R14C	74"	96"	30'5" /+2'	1595#
TEZP 24-26/28 ^{***}	6800#		Spring	ST 225/75R15C	74"	96"	30'5" /+2'	1730#

NEW!! Aluminum Pontoon Trailers

AP 18-20	2100#		Spring	ST 185/80R 13C	84"	100"	23'	696#
AP 20-22	2800#		Spring	ST 195/75D 14D	84"	100"	25'	754#
TAP 22-24	3900#		Spring	ST 175/80R 13C	84"	100"	27'	998#
TAP 24-26/28 ^{**}	4700#		Spring	ST 185/80R 13C	84"	100"	29' 6" /+2'	1205#

For More Information on Sales, Parts, Warranty or Service, please call Customer Service at

800-398-5623

BUNK

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
EZT 14'	600#	2	Spring	480x8B	45"	59"	16'	227#
EZT 14'	800#	2	Spring	480x12B	45"	59"	16'	234#
EZB 12-14	700#	2	Torsion	480x8B	44"	58"	16' 7"	231#
EZB12-14'	1000#	2	Torsion	480x12B	44"	58"	16' 7"	250#
EZW 12-14'	1200#	2	Torsion	480x12B	54"	67"	17'	279#
EZ 12-14'	1225#	2	Spring	480x12B	54"	67"	16'	321#
EZ 14-17'	1250#	2	Torsion	480x12B	54"	67"	19'	300#
EZ 14-17'	1250#	2	Spring	ST 175\80R 13C	54"	67"	19'	310#
EZN 14-17'	1400#	2	Spring	530x12C	61"	74"	19'	352#
EZN 14-17'	1650#	2	Spring	ST 175\80R 13C	58"	74"	19'	392#
EZ 14-17'	2000#	2	Spring	ST 175\80R 13C	64"	80"	19'	446#
EZW 14-18'	2100#	2	Torsion	ST 175\80R 13C	75"	90"	19' 4"	527#
EZW 14-18'	2300#	2	Torsion	ST 185\80R 13C	75"	90"	19' 4"	548#
EZ 15-18'	2350#	2	Torsion	ST 205\75R 14C	77"	96"	20' 5"	621#
EZ 17-20'	2350#	2	Torsion	ST 205\75R 14C	77"	96"	21' 5"	636#
EZ 15-18'	2800#	2	Torsion	ST 205\75R 14C	77"	96"	20' 5"	622#
EZ102 15-18'	2800#	2	Torsion	ST 205\75R 14C	83"	102"	20' 3"	638#
EZ 17-20'	2800#	2	Torsion	ST 205\75R 14C	77"	96"	21' 5"	637#
EZ 15-18'	3100#	2	Torsion	ST 215\75R 14C	77"	96"	20' 5"	634#
EZ 17-20'	3100#	2	Torsion	ST 215\75R 14C	77"	96"	21' 5"	649#
EZ102 17-20'	3100#	2	Torsion	ST215\75R14C	83"	102"	21' 3"	640#
EZ 19-22'	3100#	2	Torsion	ST 215\75R 14C	77"	96"	23' 8"	640#
EZ102 19-22'	3100#	2	Torsion	ST 215\75R 14C	83"	102"	23' 8"	640#
EZ 17-20'	3700#	2	Torsion	ST 225\75R 15D	78"	96"	22' 6"	874#
EZ 19-22/24' **	3700#	2	Torsion	ST 225\75R 15D	78"	96"	24' 6"/+2'	900#
TEZ 17-20/22' **	4000#	2	Torsion	ST 175\80R 13C	80"	96"	22' 3"/+1' 3"	900#
TEZ 17-20/22' **	4000#	2	Torsion	ST 205\75R 14C	77"	96"	22' 3"/+1' 3"	948#
TEZ102 17-20/22' **	4000#	2	Torsion	ST175\80R13C	86"	102"	22' 3"/+1' 3"	912#
TEZ102 17-20/22' **	4000#	2	Torsion	ST205\75R14C	83"	102"	22' 3"/+1' 3"	959#
TEZ 19-22/24' **	4700#	2	Torsion	ST 205\75R 14C	77"	96"	25'/+1' 6"	1108#
TEZ102 19-22/24' **	4700#	2	Torsion	ST205\75R14C	83"	102"	25'/+1' 6"	1123#
TEZ 19-22/24' **	5200#	2	Torsion	ST 205\75R 14C	77"	96"	25'/+1' 6"	1119#
TEZ102 19-22/24' **	5200#	2	Torsion	ST205\75R14C	83"	102"	25'/+1' 6"	1133#
TEZ102B 23-25'	5700#	4	Torsion	ST215/75R14C	83"	102"	30'3"	1760#
TEZ 23-25/27' **	5800#	4	Torsion	ST 215\75R 14C	77"	96"	26' 3"/+2'	1487#
TEZB 23-25/27' **	6800#	4	Torsion	ST 225\75R 15D	76"	96"	26' 3"/+2'	1633#
TEZB 23-25/27' **	7500#	4	Torsion	ST 225\75R 15D	76"	96"	26' 3"/+2'	1633#
TEZ102 26-30'	7500#	4	Torsion	ST225\75R15D	83"	102"	30' 3"	1913#
TEZB 25-27'	8500#	4	Torsion	ST 235/80R16E	76"	96"	28' 3"	1950#
TEZB 28-30'	8500#	4	Torsion	ST 235/80R16E	76"	96"	30'3"	2015#

For More Information on Sales, Parts, Warranty or Service, please call Customer Service at

800-398-5623



Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
TEZ102 26-30'	8500#	4	Torsion	ST235\80R16E	82"	102"	30' 3"	2035#
TIEZB 26-30'	9000#	4	Torsion	ST 215\75R 14C	77"	96"	30'6"	2068#
TIEZB 30-34/36' **	11800#	4	Torsion	ST 225\75R 15D	77"	96"	37'+2'	2596#
TIEZB 26-30'	12000#	4	Torsion	ST 225\75R 15D	77"	96"	31' 6"	2431#
TIEZ102 26-30'	12000#	4	Torsion	ST225\75R15D	83"	102"	31' 6"	2455#
TIEZ102 29-31	15500#	4	Torsion	LT235/85R16G	77"	102"	34' 8"	4250#
TIEZ102 32-35	15500#	4	Torsion	LT235/85R16G	77"	102"	38' 8"	4400#
EZL80 13-14'	1480#	2	Spring	530 X 12C	66"	80"	17' 8"	352#
EZL80 15-16'	2000#	2	Spring	ST 175\80R 13C	64"	80"	19'	404#
EZL90 14-18'	2100#	2	Spring	ST 175\80R 13C	74"	90"	19' 6"	504#
EZL90 15-16'	2100#	2	Spring	ST 175\80R 13C	74"	90"	19' 6"	460#
EZL90 15-17'	2350#	2	Spring	ST 185\80R 13C	76"	92"	20' 4"	529#
EZL90 17-19'	2350#	2	Spring	ST 185\80R 13C	76"	92"	21' 4"	545#
EZL96 15-17'	2100#	2	Spring	ST 175\80R 13C	80"	96"	20' 4"	517#
EZL102 15-18'	2300#	2	Spring	ST 185\80R 13C	86"	102"	21'	554#
EZL96 15-18'	2450#	2	Spring	ST 205\75R 14C	77"	96"	21'	549#
EZL96 19-22'	2500#	2	Spring	ST 205\75R 14C	77"	96"	27' 6"	692#
EZL96 15-18'	2800#	2	Spring	ST 205\75R 14C	77"	96"	21' 4"	597#
EZL102 15-18'	2800#	2	Spring	ST 205\75R 14C	83"	102"	21'	613#
EZL96 17-20'	2800#	2	Spring	ST 205\75R 14C	77"	96"	22' 4"	613#
EZL96 15-18'	3100#	2	Spring	ST 215\75R 14C	77"	96"	21' 4"	609#
EZL96 17-20'	3100#	2	Spring	ST 215\75R 14C	77"	96"	22' 4"	624#
EZL102 17-20'	3100#	2	Spring	ST 215\75R 14C	83"	102"	22'	633#
EZL96B 17-20	3400#	2	Spring	ST225/75R 15D	77"	96"	23'	800#
EZL102 17-20'	3400#	2	Spring	ST 225/75R 15C	83"	102"	25'	800#
TEZL96 17-20\22' **	4000#	2	Spring	ST 175\80R 13C	80"	96"	23' 6"/+1' 3"	827#
TEZL96 17-20\22' **	4000#	2	Spring	ST 205\75R 14C	77"	96"	23' 6"/+1' 3"	891#
TEZL102 17-20\22'***	4000#	2	Spring	ST 175\80R 13C	86"	102"	23' 6"/+1' 3"	838#
TEZL102 17-20\22'***	4000#	2	Spring	ST 205\75R 14C	83"	102"	23' 6"/+1' 3"	903#
TEZL96 19-22\24' **	4700#	2	Spring	ST 205\75R 14C	80"	96"	25'/+1' 3"	1080#
TEZL102 19-22\24'***	4700#	2	Spring	ST 205\75R 14C	84"	102"	25'/+1' 3"	1095#

For More Information on Sales, Parts, Warranty or Service, please call Customer Service at

800-398-5623

ROLLERS

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
EZ 14-17'	1250#	10	Torsion	480x12B	54"	67"	18' 9"	346#
EZ 14-17'	1525#	12	Spring	ST 175\80R 13C	64"	80"	19'	455#
EZ 14-17'	2000#	16	Spring	ST 175\80R 13C	64"	80"	19'	494#
EZW 14-18'	2100#	16	Torsion	ST 175\80R 13C	75"	90"	19' 4"	578#
EZW 14-18'	2300#	16	Torsion	ST 185\80R 13C	75"	90"	19' 4"	596#
EZ 15-18'	2350#	16	Torsion	ST 205\75R 14C	77"	96"	20' 4"	672#
EZ 17-20'	2350#	16	Torsion	ST 205\75R 14C	77"	96"	21' 4"	686#
EZ 15-18'	2800#	16	Torsion	ST 205\75R 14C	77"	96"	20' 4"	672#
EZ102 15-18'	2800#	16	Torsion	ST 205\75R 14C	83"	102"	20' 2"	682#
EZ 17-20'	2800#	16	Torsion	ST 205\75R 14C	77"	96"	21' 4"	687#
EZ 15-18'	3100#	20	Torsion	ST 215\75R 14C	77"	96"	20' 4"	699#
EZ 17-20'	3100#	20	Torsion	ST 215\75R 14C	77"	96"	21' 4"	713#
EZ102 17-20'	3100#	20	Torsion	ST 215\75R 14C	83"	102"	21' 2"	721#
TEZ 17-20/22'***	4000#	24	Torsion	ST 175\80R 13C	80"	96"	22' 2"+1' 3"	982#
TEZ 17-20/22'***	4000#	24	Torsion	ST 205\75R 14C	80"	96"	22' 2"+1' 3"	1000#
TEZ 19-22/24'***	4700#	32	Torsion	ST 205\75R 14C	77"	96"	25'+1' 6"	1218#
TEZ 19-22/24'***	5200#	48	Torsion	ST 205\75R 14C	77"	96"	25' 6"+1' 6"	1350#
TEZR 23-25/27'***	5800#	48	Torsion	ST 215\75R 14C	77"	96"	26' 6"/+2'	1640#
TEZR 23-25/27'***	6500#	48	Torsion	ST 225\75R 15D	76"	96"	26' 6"/+2'	1787#
TEZR 23-25/27'***	7000#	64	Torsion	ST 225\75R 15D	76"	96"	26' 6"/+2'	1859#
TEZR 25-27'	8300#	64	Torsion	ST235\80R16E	76"	96"	28' 4"	2197#
TIEZR 26-30'	9500#	80	Torsion	ST 225\75R 15D	77"	96"	31' 3"	2631#
TIEZR 26-30'	11500#	96	Torsion	ST 225\75R 15D	77"	96"	31' 3"	2837#
TIEZR 30-34/36' **	11400#	96	Torsion	ST 225\75R 15D	77"	96"	37' 2" /+2'	3000#
EZL90 14-18'	2100#	16	Spring	ST 175\80R 13C	74"	90"	19' 4"	557#
EZL90 15-17'	2350#	16	Spring	ST 185\80R 13C	76"	92"	20' 4"	594#
EZL102 15-18'	2300#	16	Spring	ST 185\80R 13C	86"	102"	21'	608#
EZL96 15-18'	2800#	16	Spring	ST 205\75R 14C	77"	96"	21' 4"	667#
EZL96 17-20'	2800#	16	Spring	ST 205\75R 14C	77"	96"	22' 4"	682#
EZL96 15-18'	3100#	20	Spring	ST 215\75R 14C	77"	96"	21' 4"	692#
EZL96 17-20'	3100#	20	Spring	ST 215\75R 14C	77"	96"	22' 4"	708#

For More Information on Sales, Parts, Warranty or Service, please call Customer Service at

800-398-5623

ROLLERS

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
EZ 14-17'	1250#	10	Torsion	480x12B	54"	67"	18' 9"	346#
EZ 14-17'	1525#	12	Spring	ST 175\80R 13C	64"	80"	19'	455#
EZ 14-17'	2000#	16	Spring	ST 175\80R 13C	64"	80"	19'	494#
EZW 14-18'	2100#	16	Torsion	ST 175\80R 13C	75"	90"	19' 4"	578#
EZW 14-18'	2300#	16	Torsion	ST 185\80R 13C	75"	90"	19' 4"	596#
EZ 15-18'	2350#	16	Torsion	ST 205\75R 14C	77"	96"	20' 4"	672#
EZ 17-20'	2350#	16	Torsion	ST 205\75R 14C	77"	96"	21' 4"	686#
EZ 15-18'	2800#	16	Torsion	ST 205\75R 14C	77"	96"	20' 4"	672#
EZ102 15-18'	2800#	16	Torsion	ST 205\75R 14C	83"	102"	20' 2"	682#
EZ 17-20'	2800#	16	Torsion	ST 205\75R 14C	77"	96"	21' 4"	687#
EZ 15-18'	3100#	20	Torsion	ST 215\75R 14C	77"	96"	20' 4"	699#
EZ 17-20'	3100#	20	Torsion	ST 215\75R 14C	77"	96"	21' 4"	713#
EZ102 17-20'	3100#	20	Torsion	ST 215\75R 14C	83"	102"	21' 2"	721#
TEZ 17-20/22'***	4000#	24	Torsion	ST 175\80R 13C	80"	96"	22' 2"+1' 3"	982#
TEZ 17-20/22'***	4000#	24	Torsion	ST 205\75R 14C	80"	96"	22' 2"+1' 3"	1000#
TEZ 19-22/24'***	4700#	32	Torsion	ST 205\75R 14C	77"	96"	25'+1' 6"	1218#
TEZ 19-22/24'***	5200#	48	Torsion	ST 205\75R 14C	77"	96"	25' 6"+1' 6"	1350#
TEZR 23-25/27'***	5800#	48	Torsion	ST 215\75R 14C	77"	96"	26' 6"/+2'	1640#
TEZR 23-25/27'***	6500#	48	Torsion	ST 225\75R 15D	76"	96"	26' 6"/+2'	1787#
TEZR 23-25/27'***	7000#	64	Torsion	ST 225\75R 15D	76"	96"	26' 6"/+2'	1859#
TEZR 25-27'	8300#	64	Torsion	ST235\80R16E	76"	96"	28' 4"	2197#
TIEZR 26-30'	9500#	80	Torsion	ST 225\75R 15D	77"	96"	31' 3"	2631#
TIEZR 26-30'	11500#	96	Torsion	ST 225\75R 15D	77"	96"	31' 3"	2837#
TIEZR 30-34/36' **	11400#	96	Torsion	ST 225\75R 15D	77"	96"	37' 2" /+2'	3000#
EZL90 14-18'	2100#	16	Spring	ST 175\80R 13C	74"	90"	19' 4"	557#
EZL90 15-17'	2350#	16	Spring	ST 185\80R 13C	76"	92"	20' 4"	594#
EZL102 15-18'	2300#	16	Spring	ST 185\80R 13C	86"	102"	21'	608#
EZL96 15-18'	2800#	16	Spring	ST 205\75R 14C	77"	96"	21' 4"	667#
EZL96 17-20'	2800#	16	Spring	ST 205\75R 14C	77"	96"	22' 4"	682#
EZL96 15-18'	3100#	20	Spring	ST 215\75R 14C	77"	96"	21' 4"	692#
EZL96 17-20'	3100#	20	Spring	ST 215\75R 14C	77"	96"	22' 4"	708#

For More Information on Sales, Parts, Warranty or Service, please call Customer Service at

800-398-5623

WATER VEHICLE

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
EZTWV	800#	1	Spring	480x12B	45"	59"	13'	221#
EZWV	1150#	1	Torsion	480x12B	45"	58"	13' 6"	265#
EZWV	1250#	1	Torsion	480x12B	45"	58"	13' 6"	277#
EZWV	2100#	2	Torsion	ST 175\80R 13C	85"	99"	16' 6"	560#
EZWV	2325#	2	Spring	ST 185\80R 13C	87"	102"	17' 6"	625#
NEW!! Aluminum Water Vehicle Trailers								
AWV	1250#	1	Spring	480x12B	54"	67"	13'	268#
AWV	2325#	2	Spring	ST 185\80R 13C	86"	102"	17' 6"	500#

For More Information on Sales, Parts, Warranty or Service, please call Customer Service at

800-398-5623